PARTS OF THE ORIGINAL DOCUMENT

ARE OF POOR REPRODUCTIVE QUALITY

CERTAINES PARTIES DU DOCUMENT ORIGINAL

SONT DE PIÈTRE QUALITÉ DE REPRODUCTION

CONTRACT REPORT NO 69051-02-SQ

Analytical measurements for certif. of Uranium concen. refer. Mat. CUP-2

6-9051-2

CTA

Member Canadian Testing Association

KAMLOOPS *RESEARCH & ASSAY* LABORATORY LTD.

912 - 1 LAVAL CRESCENT -- KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2744 -- TELEX: 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS
METALLURGISTS

CERTIFICATE OF ASSAY

69051-02-SQ

TO Department of Supply & Services
Science & Professional Services Directorate
11C1 Place du Portage III
11 Laurier St.,
Hull, Quebec. K1A 0S5

Certificate No K 7802

Date June 19, 1987

I hereby certify that the following are the results of assays made by us upon the herein described _____ samples

Number	Marked	Ti	As	F	Mo	Ni	SiO_2	Na	Si	
		percent	percent	ppm	percent	percent	percent	percent		
1	CUP-2	.025	.034	L1	.076	.003	.36	.44	0.16	
		.025	.034	L1	.077	.003	.33	.43	0.15	
		.025	.034	L1	.077	.003	.32	.43	0.15	
		.025	.031	L1	.076	.003	.33	.41	0.19	
		.025	.034	L1	.076	.003	.33	.44	020	

	K	S	Fe	Ca	Mg	H_2O	U *
	percent	percnet	percent	percent	percent	percent	ppm
CUP-2	.12	.74	.30	1.02	.26	2.86	34
	.12	.73	.30	1.13	.25	2.88	31
	.11	.73	.30	1.09	.25	2.86	29
	.11	.73	.29	1.03	.26	2.76	30
	.11	.76	.30	1.03	.26	2.80	30

L means " less than"

* U reported as HNO_3 insoluble.

CONTRACT REPORT NUMBER 69051-02-SQ
CONTRACTOR: Kamloops Research
TITLE: "ANALYTICAL MEASUREMENTS FOR THE CERTIFICATION OF URANIUM CONCENTRATION OF MATERIAL CUP-2;

NOTE
rejects returned three weeks
rejects kept three months
unless otherwise arranged

D. A. Bolton